



# MODELS CATALOGUE


## PSH072018-Polo Shirt



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

95% cotton / 5% elastan

180 g/m<sup>2</sup>



**Note: Manufacturing price**

Has to be discussed with the manufacturer.



## Care Instructions

Gentle machine wash at 30 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.

## User



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

95% cotton / 5% elastan

190 g/m<sup>2</sup>

## Care Instructions

Gentle machine wash at 30 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.




### SH072019-Shirt



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

95% cotton /5% elastan  
200 g/m<sup>2</sup>



**Note: Manufacturing price**

Has to be discussed with the manufacturer.

### Care Instructions

Gentle machine wash at 30 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.

### User



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

95% cotton /5% elastan  
190 g/m<sup>2</sup>  
Fabric: RIB

### Care Instructions

Do not tumble dry, machine wash at 30°C. Machine wash on gentle cycle.



**Note:** The models are without logos because Bajo LTD has the right to show only general models which can not affect their clients' exclusivity.



## J082018-Jacket

Cotton



XS	S	M	L	XL	2XL	3XL
4XL						

100% cotton

355 g/m<sup>2</sup>



Twill. Shrinkage 3-5%.

Industrial care category A1

### Certifications



- Durable triple stitched seams on arms, shoulders and at the sides extending the products lifetime.
- Fastening with storm flap and hidden press studs, so as not to scratch the surroundings.
- D-ring for keys or ID cards.
- Form cut sleeves with great freedom of movement.
- Individual adjustment with adjustable waist.
- The product tolerates industrial washing.

### Technical info

Triple stitched seams on sleeves, shoulders and at the sides. High collar. Fastening with storm flap and hidden press studs. Chest pockets with flap and hidden press studs. D-ring. Ergonomically shaped sleeves allow for high freedom of movement. Pen pocket. Front pockets. Inner pockets. Waist with press stud adjustment. Cuffs with press stud fastening. Contrast stitching.

User  



### Logo

#### Logo placement:

- Workwear logo. Over left breast pocket. Max 10x4 cm/3.9x1.5 inches
- Workwear logo. Left breast pocket. Max 8x7 cm/3.1x2.7 inches
- Workwear logo. Over right breast pocket. Max 10x4 cm/3.9x1.5 inches
- Workwear logo. Right breast pocket. Max 8x5 cm/3.1x1.9 inches
- Workwear logo. Mid-back. Max 28x28 cm/11x11 inches
- Workwear logo. On the nape. Max 12x5 cm/4.7x1.9 inches
- Workwear logo. Horizontal on right sleeve. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Special placement. Contact to discuss further

### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.






### T082018-Trousers



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

98% cotton / 2% elastan  
220 g/m<sup>2</sup>



**Note: Manufacturing price**

Has to be discussed with the manufacturer.

### Care Instructions

Gentle machine wash at 30 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.

**Rise:** Normal  
**Fastening:** Concealed fly  
**Pockets:** Back pocket, side pockets  
**Pattern:** Plain

### User



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

58 % cotton 27% polyester 13%  
viscose 2% elastan

### Care Instructions


Do not bleach, do not tumble dry machine wash at 40 degrees.  
Fabric: Cord

### T082018-Trousers



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

98% cotton / 2% elastan  
220 g/m<sup>2</sup>



**Note: Manufacturing price**

Has to be discussed with the manufacturer.



### Care Instructions

Gentle machine wash at 30 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.

**Rise:** Normal  
**Fastening:** Concealed fly  
**Pockets:** Back pocket, side pockets  
**Pattern:** Plain

### User



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

100 % cotton  
240 g/m<sup>2</sup>

### Care Instructions

Do not bleach, do not tumble dry machine wash at 30 degrees.  
Fabric: Cord





- Durable triple stitched seams on leg and crotch extend product life.
- Adjustable hammer loop.
- Thigh pocket with hook and loop fastening and flap.
- Reinforced ruler pocket with small outside pocket.
- Adjustable kneepad pockets so kneepads can be optimally placed on the knee.
- The product tolerates industrial washing.

## Technical info

Two-toned. Triple stitched seams at leg and crotch. Belt loops. Fly with zip. Front pockets. Ticket pocket. Back pockets with reinforcement and flaps with hook and loop band fastening. Adjustable hammer loop. Thigh pocket with flap and hook and loop band fastening. Reinforced ruler pocket with a small pocket on the outside. Adjustable kneepad pockets.

## User



## PKP072020-Pants with kneepadpockets

high durability



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

65% polyester / 35% cotton

310 g/m<sup>2</sup>



Twill. Shrinkage 1-2%.

Industrial care category A1

## Certifications



## Logo

### Logo placement:

- Workwear logo. Left back pocket. Max 10x5 cm / 3.9x1.9 inches
- Workwear logo. Right back pocket. Max 10x5 cm / 3.9x1.9 inches
- Workwear logo. Vertical on left thigh, read from the bottom upwards. Max 15x5 cm / 5.9x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 9x5 cm / 3.5x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm / 9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 11x5 cm / 4.3x1.9 inches
- Workwear logo. Horizontal on left calf. Max 12x6 cm / 4.7x2.3 inches
- Workwear logo. Horizontal on right calf. Max 12x6 cm / 4.7x2.3 inches
- Workwear logo. Vertical on left calf, read from the bottom upwards. Max 22x10 cm / 8.6x3.9 inches
- Workwear logo. Vertical on right calf, read from the top downwards. Max 22x10 cm / 8.6x3.9 inches
- Workwear logo. Special placement. Contact to discuss further

### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.



## THP052021-Thigh Pocket pants

One-tone



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

65% polyester / 35% cotton

290 g/m<sup>2</sup>



Twill. Do not soak. Wash separately. The product is certified to retain its qualities with 45 domestic washes or 45 industrial washes. The dirt-repellent finish is reactivated by tumble drying according to the washing instructions.

Industrial care category A2

### Certifications



EN ISO 20471



HIGH-VIS GROUP:



RIS-3279-TOM



ProWash®  
EN ISO 15797

### Logo

The product is certified with maximum 0,4000m<sup>2</sup> logo area. This approved area must not be exceeded. Logo on, respectively, front or back of the product can constitute only a maximum of 50% of the total approved logo area in order to maintain the EN ISO 20471-certification. Note: The listed area is only a guide to how much space is available for logo placement. In order to maintain the product's hi-vis class according to EN ISO 20471, the instructions on logo size must be observed.

### Logo Placement

- Workwear logo. Left back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Right back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Vertical on left thigh, read from the bottom upwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 11x5 cm/4.3x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 11x5 cm/4.3x1.9 inches



- The surface treatment makes the product dirt-repellent and ensures high visibility.
- Can easily be extended by 3 cm by releasing the red stitching on the inside.
- Thigh pockets with flap and hidden press studs.
- Durable triple stitched seams on leg and crotch extend product life.
- Ergonomically shaped trouser legs are constructed to follow the body's natural movements.
- The product tolerates industrial washing.

### Technical info

Fluorescent and with reflective tapes. The surface treatment makes the product dirt-repellent. Triple stitched seams at leg and crotch. Ergonomically formed trouser leg. Fly with zip. D-ring. Front pockets. Back pockets with flap. Thigh pockets with flap and hidden press studs. Each standard leg length can be lengthened by 3 cm by releasing the internal red stitches.

### User



### Note: Manufacturing price

The price does not include the cost of accessories and material. Terms of cutting, packaging and transportation should be further discussed.




### J092020-Jeans



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

98% cotton / 2% elastan  
300 g/m<sup>2</sup>



**Note: Manufacturing price**

Has to be discussed with the manufacturer.

### Care Instructions

Gentle machine wash at 60 degrees. Do not bleach, do not tumble, dry cool iron, and do not dry clean wash separately with like colors.

**Rise:** Normal  
**Fastening:** Concealed fly  
**Pockets:** Back pocket, side pocket  
**Pattern:** Plain

### User



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

95 % cotton 5% elastan  
280 g/m<sup>2</sup>

### Care Instructions

Do not bleach, do not tumble dry machine wash at 30 degrees.  
Fabric: Jeans





## FP05202-Functional Pants

ULTIMATE STRETCH - lightweight



XS	S	M	L	XL	XXL	3XL
----	---	---	---	----	-----	-----

92% nylon/8% elastane

235 g/m<sup>2</sup>



Industrial care category C2

### Certifications



### Logo

As the product is made of stretch material, a stretchable transfer must be used when printing on the product.

#### Logo placement:

- Work wear logo stretch. Left back pocket. Max 11X4cm/4.3x1.5 inches
- Work wear logo stretch. Right back pocket. Max 11X4cm/4.3x1.5 inches
- Work wear logo stretch. Vertical on left thigh, read from the bottom upwards. Max 20x5 cm/7.8x1.9 inches
- Work wear logo stretch. Vertical on right thigh, read from the top downwards. Max 20x5 cm/7.8x1.9 inches
- Work wear logo stretch. Horizontal on right thigh. Max 11x6 cm/4.3x2.3 inches
- Work wear logo stretch. Left thigh horizontal. Max 11x 6 cm/4.3x2.3 inches
- Work wear logo stretch. Horizontal on left calf. Max 8X6 cm/ 3.1x2.3 inches
- Work wear logo stretch. Horizontal on right calf. Max8X6 cm/3.1x2.3 inches
- Work wear logo stretch. Vertical on left calf, read from the bottom upwards. Max 25x8 cm/9.8x3.1 inches
- Work wear logo stretch. Vertical on right calf, read from the top downwards. Max 25x8 cm/9.8x3.1 inches
- Work wear logo. Special placement. Contact to discuss further.



- Ultimate stretch material provides unique freedom of movement and high comfort.
- The water-repellent multifunctional stretch material combines a low weight with a very high durability.
- Low waist with form-cut waistband ensures comfort and freedom of movement.
- Ergonomically shaped trouser legs are constructed to follow the body's natural movements.
- Excellent ventilation at the knee area.
- Elastic adjustment at foot.

### Technical info

Has a water-repellent finish. Ultimate stretch fabric that is lightweight and highly durable. The fabric is hardly felt against the skin as the pockets are integrated in the design. Double stitched seams on leg and crotch. Low waist. Ergonomically formed trouser leg. Belt loops. Fly with zip. Front pockets. Back pockets. Thigh pockets - one with flap and magnetic closure and one with zipper. Elastic adjustment at foot. Reinforcements on parts of the product.

### User



### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.



## HD052021-High durability Pants

High durability



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

65% polyester/35% cotton

310 g/m<sup>2</sup>



Twill. Shrinkage 1-2%.

Industrial care category A1

### Certifications



- Durable triple stitched seams on leg and crotch extend product life.
- Fly with zip.
- Reinforced back pockets and ruler pocket.
- Hammer loop.
- The product tolerates industrial washing.

### Technical info

Triple stitched seams at leg and crotch. Belt loops. Fly with zip. Front pockets. Ticket pocket. Back pockets with reinforcement, one with flap. Hammer loop. Reinforced ruler pocket.

### User



### Logo

#### Logo placement:

- Workwear logo. Left back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Right back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Vertical on left thigh, read from the bottom upwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 11x5 cm/4.3x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 11x5 cm/4.3x1.9 inches
- Workwear logo. Horizontal on left calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Horizontal on right calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Vertical on left calf, read from the bottom upwards. Max 28x10 cm/11x3.9 inches
- Workwear logo. Vertical on right calf, read from the top downwards. Max 28x10 cm/11x3.9 inches
- Workwear logo. Special placement. Contact to discuss further

### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.



- Durable triple stitched seams on leg and crotch extend product life.
- Adjustable hammer loop.
- Thigh pocket with hook and loop fastening and flap.
- Reinforced ruler pocket with small outside pocket.
- Adjustable kneepad pockets so kneepads can be optimally placed on the knee.
- The product tolerates industrial washing.

## Technical info

Two-toned. Triple stitched seams at leg and crotch. Belt loops. Fly with zip. Front pockets. Ticket pocket. Back pockets with reinforcement and flaps with hook and loop band fastening. Adjustable hammer loop. Thigh pocket with flap and hook and loop band fastening. Reinforced ruler pocket with a small pocket on the outside. Adjustable kneepad pockets.

## User



## PKP072020-Pants with kneepadpockets

high durability



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

65% polyester / 35% cotton

310 g/m<sup>2</sup>



Twill. Shrinkage 1-2%.

Industrial care category A1

## Certifications



## Logo

### Logo placement:

- Workwear logo. Left back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Right back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Vertical on left thigh, read from the bottom upwards. Max 15x5 cm/5.9x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 9x5 cm/3.5x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 11x5 cm/4.3x1.9 inches
- Workwear logo. Horizontal on left calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Horizontal on right calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Vertical on left calf, read from the bottom upwards. Max 22x10 cm/8.6x3.9 inches
- Workwear logo. Vertical on right calf, read from the top downwards. Max 22x10 cm/8.6x3.9 inches
- Workwear logo. Special placement. Contact to discuss further

### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.



## SP052021- Stretch Pants

ULTIMATE STRETCH - lightweight



XS	S	M	L	XL	2XL	3XL
----	---	---	---	----	-----	-----

88% polyester/12% elastolefin

275 g/m<sup>2</sup>



Shrinkage max. 2%.

Industrial care category C2

### Certifications



### Logo

#### Logo placement:

- Workwear logo. Left back pocket. Max 8x3 cm/3.1x1.1 inches
- Workwear logo. Right back pocket. Max 8x3 cm/3.1x1.1 inches
- Workwear logo. Vertical on left thigh, read from the bottom upwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 9x5 cm/3.5x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 9x5 cm/3.5x1.9 inches
- Workwear logo. Horizontal on left calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Horizontal on right calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Vertical on left calf, read from the bottom upwards. Max 28x10 cm/11x3.9 inches
- Workwear logo. Vertical on right calf, read from the top downwards. Max 28x10 cm/11x3.9 inches
- Workwear logo. Special placement. Contact to discuss further

### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.



- The water-repellent multifunctional stretch material combines a low weight with a very high durability.
- Ultimate stretch material provides unique freedom of movement and high comfort.
- Low waist with form-cut waistband ensures comfort and freedom of movement.

### Technical info

Modern fit. Has a water-repellent finish. Ultimate stretch fabric that is lightweight and durable. Low waist. Belt loops.

Fastening with zip. Front pockets. Coin pocket. Back pockets.



User





## THJ092019-Thermal Jacket

XS	S	M	L	XL	2XL	3XL
4XL						

100% polyester  
370 g/m<sup>2</sup>



Quilt fabric.

### Industrial care category B2 Certifications



### Logo

Not suitable for print.

### Logo placement:

- Work wear logo. Special placement. Contact to discuss further.

- Ultrasound welded polyester quilting with highly insulating polyester wadding, lasts longer than stitched quilting.
- Slightly curved collar with inner rib that fits tightly to the neck and keeps the cold out.
- Zip right through.
- Ribbed cuffs.
- Extra protection against the cold with an extended back.

### Technical info

Ultrasound welded polyester with insulating polyester wadding. Slightly curved collar with inner rib that closes tightly to the neck and keeps the cold out. Zip right through. Extended back. Rib at cuffs. Internal chest pocket.

### User



### Note: Manufacturing price

The manufacturing price has to be discussed. It does not include the cost of accessories and material. Terms of cutting, packaging and transportation should be further discussed.



## WP062020-Winter Pants

Quilted lining - removable braces - waterproof



S	M	L	XL	2XL	3XL	4XL
---	---	---	----	-----	-----	-----

100% polyester

220 g/m<sup>2</sup>



Ripstop. The product is certified to retain its qualities with 50 domestic washes. Hydrostatic pressure test > 10,000 mmH<sub>2</sub>O according to EN ISO 811.

Industrial care category B3

### Certifications



- Snow locks inside the leg to keep snow and dirt out.
- High warm waistline at the back, leading around to the stomach.
- Extra-long zip with storm flap on outer side of lower legso they can be easily pulled on over boots.
- Adjustable kneepad pockets with flap and top access, so dirt doesn't collect.
- Breathable, wind and waterproof with taped seams.
- Co-certified for use with MASCOT kneepad type SHORT or LONG, as the kneepad pocket is height-adjustable.

### Technical info

Fluorescent and with oblique, transverse reflective strips. Breathable, wind and waterproof. Taped seams. Lining of quilt. The waistband is higher at the back, to better protect against the cold. Belt loops. D-ring. Fly with zip. Front pockets. Back pockets with reinforcement, flap and hidden press studs. Reinforced thigh pocket with additional pockets; an inner phone pocket as well as an external phone pocket with flap and magnetic closure. Ruler pocket. Adjustable knee pad pockets with flap and top access. Snow flap on the inside of leg. Zip with storm flap on outer side of legs.



### Note: Manufacturing price

The price does not include the cost of accessories and material.

Terms of cutting, packaging and transportation should be further discussed.

### Logo

The product is certified with maximum 0,4500m<sup>2</sup> logo area. This approved area must not be exceeded. Logo on, respectively, front or back of the product can constitute only a maximum of 50% of the total approved logo area in order to maintain the EN ISO 20471-certification. Note: The listed area is only a guide to how much space is available for logo placement. In order to maintain the product's hi-vis class according to EN ISO 20471, the instructions on logo size must be observed.

### Logo placement:

- Workwear logo. Left back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Right back pocket. Max 10x5 cm/3.9x1.9 inches
- Workwear logo. Horizontal on left thigh. Max 9x5 cm/3.5x1.9 inches
- Workwear logo. Vertical on right thigh, read from the top downwards. Max 25x5 cm/9.8x1.9 inches
- Workwear logo. Horizontal on right thigh. Max 11x5 cm/4.3x1.9 inches
- Workwear logo. Horizontal on left calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Horizontal on right calf. Max 12x6 cm/4.7x2.3 inches
- Workwear logo. Special placement. Contact to discuss further

